

# **Category: Overall Health**




## Disability status, including sensory or mobility limitations

#### Oklahoma - 2019

Percentage of older adults who report having a disability (includes limitations related to sensory or mobility impairments or a physical, mental, or emotional condition)

View by: Age Group; Overall - Overall




## Self-rated health (good to excellent health)

Oklahoma - 2019

Percentage of older adults who self-reported that their health is "good", "very good", or "excellent"

View by: Age Group; Overall - Overall



Healthy People 2020 Target: No target specified.

Oklahoma - 2019
Percentage of older adults who self-reported that their health is "fair" or "poor"
View by: Age Group; Overall - Overall

35
30
25
10
5


Overall
Overall

50-64 years


65 years or older

Healthy People 2020 Target: No target specified.

Overall




Oklahoma - 2018
Percentage of older adults getting sufficient sleep (>6 hours)



Healthy People 2020 Target: No target specified.

Prevalence of sufficient sleep

Fall with injury within last year Oklahoma - 2018 Percentage of older adults who have fallen and sustained an injury within last year View by: Age Group; Overall - Overall 20 15 Percentage (%) 5 0 Overall 50-64 years 65 years or older Overall Overall Healthy People 2020 Target: No target specified. Data Source: Behavioral Risk Factor Surveillance System (BRFSS)



# Taking medications for high blood pressure Oklahoma - 2019 Percentage of older adults who have been told they have high blood pressure who report currently taking medication for their high blood pressure View by: Age Group; Overall - Overall 100 90 80 70 Percentage (%) 60 50 40 30 20 10 0 Overall 50-64 years 65 years or older Overall Overall Healthy People 2020 Target: ≥77.4% Data Source: Behavioral Risk Factor Surveillance System (BRFSS)

### **Notes**

The United States includes 50 states plus the District of Columbia, unless otherwise noted.

The Northeast Region includes Connecticut, Maine, Massachusetts, New Jersey, New Hampshire, New York, Pennsylvania, Rhode Island and Vermont.

The Midwest Region includes Ohio, Indiana, Michigan, Illinois, Wisconsin, Iowa, Kansas, Missouri, Minnesota, Nebraska, South Dakota, and North Dakota.

The South Region includes Alabama, Arkansas, Delaware, District of Columbia, Florida, Georgia, Kentucky, Louisiana, Maryland, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Virginia, and West Virginia.

The West Region includes Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, New Mexico, Nevada, Oregon, Utah, Washington, and Wyoming.

#### **Measure Definitions**

CI = Confidence Interval. CI describes the level of uncertainty of an estimate and specifies the range in which the true value is likely to fall. These reports use a 95% level of significance, which means that 95% of the time, the true value falls within these boundaries. When comparing prevalence of variables across states or years, we recommend the use of confidence intervals. If the confidence intervals overlap, the difference is not statistically significant.

## **Data Source**

Behavior Risk Factor Surveillance System (BRFSS) All responses are self-reported by adults 18 years or older.

## **Suggested Citation**

Centers for Disease Control and Prevention. National Center for Chronic Disease Prevention and Health Promotion, Division of Population Health. Healthy Aging Data [online]. [accessed Sep 03, 2021]. URL: https://www.cdc.gov/aging/agingdata/index.html.